

H-O PIG STARTENA

Code 2037 Pig Starter Ration

SERVICES LIMITED

Purina H-O PIG STARTENA is a nutrient dense starter feed for piglets weighing 10-25 kg. **H-O PIG STARTENA** may be fed following weaning.

FEATURES	BENEFITS
Complete pelleted/checker feed	Saves time and labour Eliminates the chance of an on-farm mixing error Reduces capital investment Better consumption and utilization than a meal form Reduces waste
Very palatable	Highly digestible ration which is ideal for a young pig's digestive system Maximizes consumption High nutrient density for good growth and feed efficiency
Contains added fat	Improves feed conversion Reduces dust resulting in a better environment
Nutrient balance	Specific balance of amino acids, energy, vitamins and minerals
Manufactured in a HACCP approved plant with high standards of biosecurity and quality	Consistent quality feed Showing our commitment to feed safety and customer satisfaction
Purina feed manufactured in Atlantic Canada	Minimizes transport cost Optimizes freshness

Feb 1 2021



H-O PIG STARTENA

Feed Purina **H-O PIG STARTENA** continuously as the sole ration for pigs from one week past weaning to 25 kg body weight. Follow with Purina hog grower ration.



Do not feed or allow access to **H-O PIG STARTENA** to horses, cattle, sheep, deer, rabbits, hamsters, guinea fowl, or any other ruminants.

GUARANTEED ANALYSIS

Crude Protein	Min. 19.00%
Crude Fat	Min. 5.00%
Crude Fibre	Max. 5.00%
Sodium	Actual 0.20%
Calcium	Actual 0.50%
Phosphorus	Actual 0.50%
Copper	Actual 125 mg/kg
Zinc	Actual 200 mg/kg
Vitamin A	Min. 10,000 IU/kg
Vitamin D₃	Min. 1,500 IU/kg
Vitamin E	Min. 30 IU/kg
Selenium	0.30 mg/kg

OPTIMIZE YOUR PIG'S DIET

Clarence Farm Services Ltd. recommends you follow these management practices:

- Provide a source of clean, fresh water at all times.
- 2. Any ration change should be made gradually. In order to reduce weaning stress, the pig's ration should not be changed within 5 days of weaning.
- 3. Provide fresh feed daily and prevent feed from accumulating and mould development in feeders.
- 4. Provide adequate space in a draft-free, clean, dry and well ventilated environment.

Consult your veterinarian for recommended health programs for your local area. This includes internal and external parasites.

These recommendations are intended as a guide. They should be adjusted to variables of management, environment and individual needs. If necessary, consult your local Purina Dealer or Clarence Farm Services Ltd. Farm Consultant.

Feb 1 2021

25 kg bags

